



Appendices I, II and III

valid from 26 November 2019

Interpretation

- 1. Species included in these Appendices are referred to:
 - a) by the name of the species; or
 - b) as being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation "spp." is used to denote all species of a higher taxon.
- 3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in the Appendices. In most cases this is not all of the species within the family.
- 4. The following abbreviations are used for plant taxa below the level of species:
 - a) "ssp." is used to denote subspecies; and
 - b) "var(s)." is used to denote variety (varieties).
- 5. As none of the species or higher taxa of FLORA included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.
- 6. The names of the countries in parentheses placed against the names of species in Appendix III are those of the Parties submitting these species for inclusion in this Appendix.
- 7. When a species is included in one of the Appendices, the whole, live or dead, animal or plant is included. In addition, for animal species listed in Appendix III and plant species listed in Appendix II or III, all parts and derivatives of the species are also included in the same Appendix unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol # followed by a number placed against the name of a species or higher taxon included in Appendix II or III refers to a footnote that indicates the parts or derivatives of animals or plants that are designated as 'specimens' subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (ii) or (iii).
- 8. The terms and expressions below, used in annotations in these Appendices, are defined as follows:

Extract

Any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semi-solid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils).

Finished musical instruments

A musical instrument (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is ready to play or needs only the installation of parts to make it playable. This term includes antique instruments (as defined by the Harmonized System codes 97.05 and 97.06; Works of art, collectors' pieces and antiques).

Finished musical instrument accessories

A musical instrument accessory (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) that is separate from the musical instrument, and is specifically designed or shaped to be used explicitly in association with an instrument, and that requires no further modification to be used.

Finished musical instrument parts

A part (as referenced by the Harmonized System of the World Customs Organization, Chapter 92; musical instruments, parts and accessories of such articles) of a musical instrument that is ready to install and is specifically designed and shaped to be used explicitly in association with the instrument to make it playable.

Finished products packaged and ready for retail trade

Products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public.

Powder

A dry, solid substance in the form of fine or coarse particles.

Shipment

Cargo transported under the terms of a single bill of lading or air waybill, irrespective of the quantity or number of containers or packages; or pieces worn, carried or included in personal baggage.

Ten (10) kg per shipment

For the term "10 kg per shipment", the 10 kg limit should be interpreted as referring to the weight of the individual portions of each item in the shipment made of wood of the species concerned. In other words, the 10 kg limit is to be assessed against the weight of the individual portions of wood of Dalbergia/Guibourtia species contained in each item of the shipment, rather than against the total weight of the shipment.

Transformed wood

Defined by Harmonized System code 44.09: Wood (including strips, friezes for parquet flooring, not assembled), continuously shaped (tongued, grooved, v-jointed, beaded or the like) along any edges, ends or faces, whether or not planed, sanded or end-jointed.

Woodchips

Wood that has been reduced to small pieces.

| | | Appendices | |
|--|--|--------------------|--|
| FAUNA (ANIMALS) PHYLUM CHORDATA CLASS MAMMALIA (MAMMALS) | | <u> </u> | W |
| ARTIODACTYLA | | | |
| Antilocapridae Pronghorns | | | |
| | <i>Antilocapra americana</i> (Only the population of Mexico; no other population is included in the Appendices) | | |
| Bovidae Antelopes, cattle, duikers, | | | |
| gazelles, goats, sheep, etc. | | | |
| | Addax nasomaculatus | Ammotragus Iervia | Antilope cervicapra (Nepal, Pakistan) |
| | Bos gaurus (Excludes the domesticated form, which is referenced as <i>Bos frontalis</i> , and is not subject to the provisions of the Convention) Bos mutus (Excludes the domesticated form, which is referenced as <i>Bos</i> <i>grunniens</i> , and is not subject to the provisions of the Convention) Bos sauveli | | |
| | | | Boselaphus tragocamelus (Pakistan) Bubalus arnee (Excludes the domesticated form, which is referenced as <i>Bubalus bubalis</i> and is not subject to the provisions of the Convention) (Nepal) |
| | Bubalus depressicornis Bubalus mindorensis Bubalus quarlesi | | |
| | • | Budorcas taxicolor | |
| | | Capra caucasica | |
| | Capra falconeri | | |

| Appendices | | | |
|----------------------------------|----------|--------------------------------------|---|
| I | | II | Ш |
| | | | Capra hircus aegagrus (Specimens of the domesticated form are not subject to the provisions of the Convention) (Pakistan) |
| | | | <i>Capra sibirica</i> (Pakistan) |
| Capricornis milneed | dwardsii | | |
| Capricornis rubidus | ; | | |
| Capricornis sumatra | aensis | | |
| Capricornis thar | | | |
| | | Cephalophus brookei | |
| | | Cephalophus dorsalis | |
| Cephalophus jentin | ki | | |
| | | Cephalophus ogilbyi | |
| | | Cephalophus silvicultor | |
| | | Cephalophus zebra | |
| | | Damaliscus pygargus pygargus | |
| | | | Gazella bennettii (Pakistan) |
| Gazella cuvieri | | | |
| | | | Gazella dorcas (Algeria, Tunisia) |
| Gazella leptoceros | | | |
| Hippotragus niger v | variani | | |
| | | Kobus leche | |
| Naemorhedus baile | • | | |
| Naemorhedus caud | | | |
| Naemorhedus goral | | | |
| Naemorhedus grise Nanger dama | us | | |
| Oryx dammah | | | |
| Oryx leucoryx | | | |
| Oryx reactoryx | | Ovis ammon | |
| | | Ovis arabica | |
| | | Ovis bochariensis | |
| | | Ovis canadensis (Only the population | |
| | | of Mexico; no other population is | |
| | | included in the Appendices) | |

| Appendices | | |
|--|---|-----------------------------------|
| I I | II | III |
| | Ovis collium | |
| | Ovis cycloceros | |
| | Ovis darwini | |
| Ovis gmelini (Only the population of Cyprus; no other population is included in the Appendices) | | |
| Ovis hodgsoni | Orden instante | |
| | Ovis jubata | |
| | Ovis karelini | |
| Ovis nigrimontana | . | |
| | Ovis polii | |
| | Ovis punjabiensis | |
| | Ovis severtzovi | |
| Ovis vignei | | |
| Pantholops hodgsonii | | |
| | Philantomba monticola | |
| | | Pseudois nayaur (Pakistan) |
| Pseudoryx nghetinhensis | | |
| | Rupicapra pyrenaica ornata | |
| | Saiga borealis (A zero export quota for wild specimens traded for commercial purposes) | |
| | Saiga tatarica (A zero export quota for wild specimens traded for commercial purposes) | |
| | | Tetracerus quadricornis (Nepal) |

| | Appendices | | |
|-------------------------------------|--|---|-----|
| | I | I | III |
| Camelidae Camels, guanacos, vicunas | | | |
| | Vicugna vicugna [Except the populations of: Argentina (the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi- captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile (populations of the region of Tarapacá and of the region of Arica and Parinacota), Ecuador (the whole population), Peru (the whole population) and the Plurinational State of Bolivia (the whole population), which are included in Appendix II] | Lama guanicoe Vicugna vicugna [Only the populations of Argentina (the populations of the Provinces of Jujuy, Catamarca and Salta, and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile (populations of the region of Tarapacá and of the region of Arica and Parinacota), Ecuador (the whole population), Peru (the whole population) and the Plurinational State of Bolivia (the whole population); all other populations are included in Appendix I] ¹ | |

¹ For the exclusive purpose of allowing international trade in fibre from vicuñas (*Vicugna vicugna*) and their derivative products, only if the fibre comes from the shearing of live vicuñas. Trade in products derived from the fibre may only take place in accordance with the following provisions:

a) Any person or entity processing vicuña fibre to manufacture cloth and garments must request authorization from the relevant authorities of the country of origin (Countries of origin: The countries where the species occurs, that is, Argentina, Bolivia, Chile, Ecuador and Peru) to use the "vicuña country of origin" wording, mark or logo adopted by the range States of the species that are signatories to the Convention for the Conservation and Management of the Vicuña.

b) Marketed cloth or garments must be marked or identified in accordance with the following provisions:

i) For international trade in <u>cloth</u> made from live-sheared vicuña fibre, whether the cloth was produced within or outside of the range States of the species, the wording, mark or logo must be used so that the country of origin can be identified. The VICUÑA [COUNTRY OF ORIGIN] wording, mark or logo has the format as detailed below:

| | Appendices | | |
|-----------------------------------|---------------------------|---------------------------|--------------------------------------|
| | I | | III |
| Cervidae Deer, huemuls, muntjacs, | | | |
| pudus | | | |
| | Axis calamianensis | | |
| | Axis kuhlii | | |
| | | | Axis porcinus (Except the subspecies |
| | | | included in Appendix I) (Pakistan) |
| | Axis porcinus annamiticus | | |
| | Blastocerus dichotomus | | |
| | | Cervus elaphus bactrianus | |
| | | | Cervus elaphus barbarus (Algeria, |
| | | | Tunisia) |
| | Cervus elaphus hanglu | | |
| | Dama dama mesopotamica | | |
| | Hippocamelus spp. | | |
| | | | Mazama temama cerasina |
| | | | (Guatemala) |
| | Muntiacus crinifrons | | |
| | Muntiacus vuquangensis | | |



This wording, mark or logo must appear on the reverse side of the cloth. In addition, the selvages of the cloth must bear the words VICUÑA [COUNTRY OF ORIGIN].

- ii) For international trade in <u>garments</u> made from live-sheared vicuña fibre, whether the garments were produced within or outside of the range States of the species, the wording, mark or logo indicated in paragraph b) i) must be used. This wording, mark or logo must appear on a label on the garment itself. If the garments are produced outside of the country of origin, the name of the country where the garment was produced should also be indicated, in addition to the wording, mark or logo referred to in paragraph b) i).
- c) For international trade in handicraft products made from live-sheared vicuña fibre produced within the range States of the species, the VICUÑA [COUNTRY OF ORIGIN] ARTESANÍA wording, mark or logo must be used as detailed below:



- d) If live-sheared vicuña fibre from various countries of origin is used for the production of cloth and garments, the wording, mark or logo of each of the countries of origin of the fibre must be indicated, as detailed in paragraphs b) i) and ii).
- e) All other specimens shall be deemed to be specimens of species listed in Appendix I and the trade in them shall be regulated accordingly.

| | Appendices | | |
|-------------------------------|--|--|---|
| | I | II | Ш |
| | Ozotoceros bezoarticus Pudu puda Rucervus duvaucelii Rucervus eldii | Pudu mephistophiles | Odocoileus virginianus mayensis (Guatemala) |
| Giraffidae Giraffes | | | |
| | | Giraffa camelopardalis | <u> </u> |
| Hippopotamidae Hippopotamuses | | | |
| | | Hexaprotodon liberiensis | |
| | | Hippopotamus amphibius | <u> </u> |
| Moschidae Musk deer | | | |
| | <i>Moschus</i> spp. (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Appendix II) | <i>Moschus</i> spp. (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Appendix I) | |
| Suidae Babirusa, hogs, pigs | | | |
| | Babyrousa babyrussa Babyrousa bolabatuensis Babyrousa celebensis Babyrousa togeanensis Sus salvanius | | |
| Tayassuidae Peccaries | | | |
| | Catagonus wagneri | Tayassuidae spp. (Except the species included in Appendix I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Appendices) | |

| | Appendices | | | |
|-----------------------------|---|---|-----------------------------------|--|
| | I | I | Ш | |
| CARNIVORA | | | | |
| Ailuridae Red pandas | | I | 1 | |
| Capidaa Daga faxaa walyaa | Ailurus fulgens | | <u> </u> | |
| Canidae Dogs, foxes, wolves | | 1 | | |
| | Canis lupus (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis</i> <i>lupus dingo</i> , respectively, which are not subject to the provisions of the Convention) | | <i>Canis aureus</i> (India) | |
| | | <i>Canis lupus</i> (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Appendix I. Excludes the domesticated form and the dingo which are referenced as <i>Canis</i> <i>lupus familiaris</i> and <i>Canis lupus dingo</i> , respectively, which are not subject to the provisions of the Convention) <i>Cerdocyon thous</i> | | |
| | | Chrysocyon brachyurus | | |
| | | Cuon alpinus | | |
| | | Lycalopex culpaeus | | |
| | | Lycalopex fulvipes | | |
| | | Lycalopex griseus | | |
| | Specthes variations | Lycalopex gymnocercus | | |
| | Speothos venaticus | | <i>Vulpes bengalensis</i> (India) | |
| | | Vulpes cana | vaipes bengalensis (mula) | |
| | | | Vulpes vulpes griffithi (India) | |
| | | | Vulpes vulpes montana (India) | |
| | | | Vulpes vulpes pusilla (India) | |
| | | Vulpes zerda | | |

| | Appendices | | |
|--|---|---|-----|
| | l | | III |
| Eupleridae Fossa, falanouc, Malagasy civets | | | |
| | | Cryptoprocta ferox | |
| | | Eupleres goudotii | |
| | | Fossa fossana | |
| Felidae Cats | | | |
| | Acinonyx jubatus (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention) Caracal caracal (Only the population of Asia; all other populations are included in Appendix II) Catopuma temminckii Felis nigripes | Felidae spp. [Except the species included in Appendix I. Excludes specimens of the domesticated form, which are not subject to the provisions of the Convention. For <i>Panthera leo</i> (African populations): a zero annual export quota is established for specimens of bones, bone pieces, bone products, claws, skeletons, skulls and teeth removed from the wild and traded for commercial purposes. Annual export quotas for trade in bones, bone pieces, bone products, claws, skeletons, skulls and teeth for commercial purposes, derived from captive breeding operations in South Africa, will be established and communicated annually to the CITES Secretariat.] | |

| Appendices | | |
|--|----|---|
| I | II | Ш |
| Herpailurus yagouaroundi (Only the populations of Central and North America; all other populations are included in Appendix II) | | |
| Leopardus geoffroyi | | |
| Leopardus guttulus | | |
| Leopardus jacobita | | |
| Leopardus pardalis | | |
| Leopardus tigrinus | | |
| Leopardus wiedii | | |
| Lynx pardinus | | |
| Neofelis diardi | | |
| Neofelis nebulosa | | |
| Panthera leo (Only the populations of India; all other populations are included in Appendix II) | | |
| Panthera onca | | |
| Panthera pardus | | |
| Panthera tigris | | |
| Panthera uncia | | |
| Pardofelis marmorata | | |
| Prionailurus bengalensis bengalensis (Only the populations of Bangladesh, India and Thailand; all other populations are included in Appendix II) | | |
| Prionailurus planiceps | | |
| <i>Prionailurus rubiginosus</i> (Only the population of India; all other populations are included in Appendix II) | | |
| Puma concolor (Only the populations of Costa Rica and Panama; all other populations are included in Appendix II) | | |

| | Appendices | | |
|---|--|---|--|
| | 1 | II | III |
| Herpestidae Mongooses | | | |
| | | | Herpestes edwardsi (India, Pakistan) |
| | | | Herpestes fuscus (India) |
| | | | <i>Herpestes javanicus</i> (Pakistan) |
| | | | <i>Herpestes javanicus auropunctatus</i> (India) |
| | | | <i>Herpestes smithii</i> (India) |
| | | | <i>Herpestes urva</i> (India) |
| | | | Herpestes vitticollis (India) |
| Hyaenidae Aardwolf, hyenas | | | |
| | | | <i>Hyaena hyaena</i> (Pakistan) |
| | | | Proteles cristata (Botswana) |
| Mephitidae Skunks | | | |
| | | Conepatus humboldtii | |
| Mustelidae Badgers, martens, otters, weasels, etc. | | | |
| Lutrinae Otters | | | |
| | | Lutrinae spp. (Except the species included in Appendix I) | |
| | Aonyx capensis microdon (Only the populations of Cameroon and Nigeria; all other populations are included in Appendix II) Aonyx cinerea Enhydra lutris nereis Lontra felina Lontra longicaudis Lontra provocax | | |
| | Lutra lutra Lutra nippon | | |
| | Lutrogale perspicillata | | |
| | Pteronura brasiliensis | | |

| | Appendices | | |
|---|-------------------------|----------------------------------|--|
| | l | I | III |
| Mustelinae Grisons, honey badgers, martens, tayra, weasels | | | |
| | | | <i>Eira barbara</i> (Honduras) |
| | | | Martes flavigula (India) |
| | | | Martes foina intermedia (India) |
| | | | Martes gwatkinsii (India) |
| | | | Mellivora capensis (Botswana) |
| | | | <i>Mustela altaica</i> (India) |
| | | | Mustela erminea ferghanae (India) |
| | | | <i>Mustela kathiah</i> (India) |
| | Mustela nigripes | | |
| | | | <i>Mustela sibirica</i> (India) |
| Odobenidae Walruses | | | |
| | | | Odobenus rosmarus (Canada) |
| Otariidae Fur seals, sealions | | | |
| | | Arctocephalus spp. (Except the | |
| | | species included in Appendix I) | |
| | Arctocephalus townsendi | | l |
| Phocidae Seals | | | |
| | | Mirounga leonina | |
| | Monachus spp. | | |
| Procyonidae Coatis, kinkajous, olingos | | | |
| | | | Nasua narica (Honduras) |
| | | | Nasua nasua solitaria (Uruguay) |
| | | | <i>Potos flavus</i> (Honduras) |
| Ursidae Bears, giant pandas | | | |
| | | Ursidae spp. (Except the species | |
| | | included in Appendix I) | |
| | Ailuropoda melanoleuca | | |
| | Helarctos malayanus | | |
| | Melursus ursinus | | |
| | Tremarctos ornatus | | |

| | Appendices | | |
|--|--|---|---|
| | I | | ш |
| | Ursus arctos (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Appendix II) | | |
| | Ursus arctos isabellinus | | |
| | Ursus thibetanus | <u> </u> | |
| Viverridae Binturong, civets, linsangs, otter-civet, palm civets | | | |
| | | Cynogale bennettii Hemigalus derbyanus | <i>Arctictis binturong</i> (India) <i>Civettictis civetta</i> (Botswana) |
| | | Prionodon linsang | Paguma larvata (India) Paradoxurus hermaphroditus (India) Paradoxurus jerdoni (India) |
| | Prionodon pardicolor | · · · · · · · · · · · · · · · · · · · | |
| | | | <i>Viverra civettina</i> (India) |
| | | | Viverra zibetha (India) |
| | | <u> </u> | <i>Viverricula indica</i> (India) |
| CETACEA Dolphins, porpoises, whales | | | |
| | | CETACEA spp. (Except the species included in Appendix I. A zero annual export quota has been established for live specimens from the Black Sea population of <i>Tursiops truncatus</i> removed from the wild and traded for primarily commercial purposes) | |
| Balaenidae Bowhead whale, right whales | | | |
| | Balaena mysticetus Eubalaena spp. | | |

| | Appendices | | |
|---------------------------------------|---|--------------|---|
| | I | II | Ш |
| Balaenopteridae Fin whales, | | | |
| humpback whales, rorquals | | | |
| | Balaenoptera acutorostrata (Except | | |
| | the population of West Greenland, which | | |
| | is included in Appendix II) | | |
| | Balaenoptera bonaerensis | | |
| | Balaenoptera borealis | | |
| | Balaenoptera edeni | | |
| | Balaenoptera musculus | | |
| | Balaenoptera omurai | | |
| | Balaenoptera physalus | | |
| | Megaptera novaeangliae | | |
| Delphinidae Dolphins | | | |
| | Orcaella brevirostris | | |
| | Orcaella heinsohni | | |
| | Sotalia spp. | | |
| | Sousa spp. | | |
| Eschrichtiidae Grey whale | | | |
| | Eschrichtius robustus | | |
| Iniidae River dolphins | | | |
| | Lipotes vexillifer | | |
| Neobalaenidae Pygmy right whale | | | |
| | Caperea marginata | | |
| Phocoenidae Porpoises | | ^L | |
| | Neophocaena asiaeorientalis | | |
| | , Neophocaena phocaenoides | | |
| | Phocoena sinus | | |
| Physeteridae Sperm whales | | l | |
| · · · · · · · · · · · · · · · · · · · | Physeter macrocephalus | | |
| Platanistidae River dolphins | | <u>I</u> | |
| | Platanista spp. | | |
| Ziphiidae Beaked whales, bottle- | | <u>l</u> | |
| nosed whales | | | |
| | Berardius spp. | | |
| | Hyperoodon spp. | | |
| | | | |

| | Appendices | | |
|---------------------------------------|--|--|------------------------------------|
| CHIROPTERA | | | |
| Phyllostomidae Broad-nosed bats | | | |
| Tylostoffidae broad-nosed bats | | | Platyrrhinus lineatus (Uruguay) |
| Pteropodidae Fruit bats flying foxes | | | (oruguay) |
| Pteropodidae Fruit bats, flying foxes | Acerodon jubatus Pteropus insularis Pteropus loochoensis Pteropus mariannus Pteropus molossinus Pteropus pelewensis Pteropus pilosus Pteropus samoensis Pteropus tonganus Pteropus ualanus Pteropus yapensis | Acerodon spp. (Except the species included in Appendix I) Pteropus spp. (Except the species included in Appendix I and Pteropus brunneus) | |
| CINGULATA | | | |
| Dasypodidae Armadillos | | | |
| | Priodontes maximus | Chaetophractus nationi (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly) | <i>Cabassous tatouay</i> (Uruguay) |
| DASYUROMORPHIA | | | |
| Dasyuridae Dunnarts | | | |
| | Sminthopsis longicaudata Sminthopsis psammophila | | |

| | Appendices | | |
|--|------------------------|--|---|
| | I | Ш | Ш |
| DIPROTODONTIA | | | |
| Macropodidae Kangaroos, wallabies | | | |
| | | Dendrolagus inustus | |
| | | Dendrolagus ursinus | |
| | Lagorchestes hirsutus | | |
| | Lagostrophus fasciatus | | |
| | Onychogalea fraenata | | |
| Phalangeridae Cuscuses | | | |
| | | Phalanger intercastellanus | |
| | | Phalanger mimicus | |
| | | Phalanger orientalis | |
| | | Spilocuscus kraemeri Spilocuscus maculatus | |
| | | Spilocuscus maculatus Spilocuscus papuensis | |
| Potoroidae Rat-kangaroos | | Spilocuscus papuensis | 1 |
| r otoroidae i tat-kangaroos | Bettongia spp. | Т | |
| Vombatidae Wombats | Denongia Spp. | I | I |
| | Lasiorhinus krefftii | | |
| LAGOMORPHA | | I | I |
| Leporidae Hares, rabbits | | | |
| | Caprolagus hispidus | | |
| | Romerolagus diazi | | |
| MONOTREMATA | | | |
| Tachyglossidae Echidnas, spiny | | | |
| anteaters | | | |
| | | Zaglossus spp. | |
| PERAMELEMORPHIA | | | |
| Peramelidae Bandicoots, | | | |
| echymiperas | | | |
| The design of the second states and the seco | Perameles bougainville | | I |
| Thylacomyidae Bilbies | | т | |
| | Macrotis lagotis | | |

| | Appendices | | |
|------------------------------------|--|---|---|
| | I | I | ш |
| PERISSODACTYLA | | | |
| Equidae Horses, wild asses, zebras | | | |
| | <i>Equus africanus</i> (Excludes the domesticated form, which is referenced as <i>Equus asinus</i>, and is not subject to the provisions of the Convention) <i>Equus grevyi</i> <i>Equus hemionus hemionus</i> <i>Equus hemionus khur</i> <i>Equus przewalskii</i> | <i>Equus hemionus</i> (Except the subspecies included in Appendix I) <i>Equus kiang</i> <i>Equus zebra hartmannae</i> | |
| | | Equus zebra zebra | |
| Rhinocerotidae Rhinoceroses | | | |
| | Rhinocerotidae spp. (Except the subspecies included in Appendix II) | Ceratotherium simum simum (Only the populations of Eswatini and South Africa; all other populations are included in Appendix I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly) | |
| Tapiridae Tapirs | | | |
| | Tapiridae spp. (Except the species included in Appendix II) | Tapirus terrestris | |

| | Appendices | | |
|---|---|--|--------------------------------------|
| | I | I | III |
| PHOLIDOTA | | | |
| Manidae Pangolins | | | |
| | Manis crassicaudata Manis culionensis Manis gigantea Manis javanica Manis pentadactyla Manis temminckii Manis tetradactyla Manis tricuspis | <i>Manis</i> spp. (Except the species included in Appendix I) | |
| PILOSA | | | |
| Bradypodidae Three-toed sloths | | | |
| | | Bradypus pygmaeus | |
| | | Bradypus variegatus | |
| Myrmecophagidae American anteaters | | | |
| | | Myrmecophaga tridactyla | <i>Tamandua mexicana</i> (Guatemala) |
| PRIMATES Apes, monkeys | | | |
| | | PRIMATES spp. (Except the species included in Appendix I) | |
| Atelidae Howler monkeys, spider monkeys | | | |
| | Alouatta coibensis Alouatta palliata Alouatta pigra Ateles geoffroyi frontatus Ateles geoffroyi ornatus | | |
| | Brachyteles arachnoides Brachyteles hypoxanthus Oreonax flavicauda | | |

| | Appendices | | |
|-----------------------------------|---------------------------|----------|----------|
| | I | Ш | III |
| Cebidae Marmosets, tamarins, new- | | | |
| world monkeys | | T | - |
| | Callimico goeldii | | |
| | Callithrix aurita | | |
| | Callithrix flaviceps | | |
| | Leontopithecus spp. | | |
| | Saguinus bicolor | | |
| | Saguinus geoffroyi | | |
| | Saguinus leucopus | | |
| | Saguinus martinsi | | |
| | Saguinus oedipus | | |
| | Saimiri oerstedii | <u> </u> | <u> </u> |
| Cercopithecidae Old-world monkeys | | | ······ |
| | Cercocebus galeritus | | |
| | Cercopithecus diana | | |
| | Cercopithecus roloway | | |
| | Macaca silenus | | |
| | Macaca sylvanus | | |
| | Mandrillus leucophaeus | | |
| | Mandrillus sphinx | | |
| | Nasalis larvatus | | |
| | Piliocolobus kirkii | | |
| | Piliocolobus rufomitratus | | |
| | Presbytis potenziani | | |
| | <i>Pygathrix</i> spp. | | |
| | Rhinopithecus spp. | | |
| | Semnopithecus ajax | | |
| | Semnopithecus dussumieri | | |
| | Semnopithecus entellus | | |
| | Semnopithecus hector | | |
| | Semnopithecus hypoleucos | | |
| | Semnopithecus priam | | |
| | Semnopithecus schistaceus | | |
| | Simias concolor | | |
| | Trachypithecus geei | | |

| | Appendices | | |
|---|---|----|---|
| | I | II | |
| | Trachypithecus pileatus | | |
| | Trachypithecus shortridgei | | |
| Cheirogaleidae Dwarf lemurs | | | |
| | Cheirogaleidae spp. | | |
| Daubentoniidae Aye-aye | | | |
| | Daubentonia madagascariensis | | |
| Hominidae Apes, chimpanzees, gorillas, orang-utans | | | |
| · · · · · · · · · · · · · · · · · · · | Gorilla beringei | | |
| | Gorilla gorilla | | |
| | Pan spp. | | |
| | Pongo abelii | | |
| | Pongo pygmaeus | | |
| Hylobatidae Gibbons | | | |
| | Hylobatidae spp. | | |
| Indriidae Indris, sifakas, woolly | | | · |
| lemurs | | | |
| | Indriidae spp. | | |
| Lemuridae Large lemurs | | | |
| | Lemuridae spp. | | |
| Lepilemuridae Sportive lemurs | | | |
| | Lepilemuridae spp. | | |
| Lorisidae Lorises | | | |
| | Nycticebus spp. | | |
| Pitheciidae Sakis, uakaris | | | |
| | <i>Cacaja</i> o spp. | | |
| | Chiropotes albinasus | | |
| PROBOSCIDEA | | | |
| Elephantidae Elephants | | | |
| | Elephas maximus | | |
| | Loxodonta africana (Except the | | |
| | populations of Botswana, Namibia, | | |
| | South Africa and Zimbabwe, which are included in Appendix II subject to | | |
| | annotation 2) | | |

| | | Appendices | | |
|---------------------------|---|---|--------------------------------|--|
| | I | | III | |
| | | <i>Loxodonta africana</i> ² (Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Appendix I) | | |
| RODENTIA | | | | |
| Chinchillidae Chinchillas | | | | |
| | Chinchilla spp. (Specimens of the domesticated form are not subject to the provisions of the Convention) | | | |
| Cuniculidae Pacas | | | | |
| | | T | Cuniculus paca (Honduras) | |
| Dasyproctidae Agoutis | | ······ | | |
| | | | Dasyprocta punctata (Honduras) | |

- vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and
- vii) the additional quantities specified in paragraph g) v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and
- h) no further proposals to allow trade in elephant ivory from populations already in Appendix II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs g) i), g) ii), g) iii), g) vi) and g) vii). In addition such further proposals shall be dealt with in accordance with Decisions 16.55 and 14.78 (Rev. CoP16).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Appendix I and the trade in them shall be regulated accordingly.

Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Appendix II):

For the exclusive purpose of allowing:

a) trade in hunting trophies for non-commercial purposes;

b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20 (Rev. CoP18), for Botswana and Zimbabwe and for *in situ* conservation programmes for Namibia and South Africa;

c) trade in hides;

d) trade in hair;

e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;

f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;

g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:

i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);

ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP18) concerning domestic manufacturing and trade;

iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;

iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);

v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph g) iv) above, in a single sale per destination under strict supervision of the Secretariat;

| | Appendices | | |
|-------------------------------------|-------------------------------|---------------------------------|--|
| | l | l | |
| Erethizontidae New-world porcupines | | | |
| | | | Sphiggurus mexicanus (Honduras) |
| | | | Sphiggurus spinosus (Uruguay) |
| Muridae Mice, rats | | | |
| | | Leporillus conditor | |
| | | Pseudomys fieldi | |
| | | Xeromys myoides | |
| | | Zyzomys pedunculatus | |
| Sciuridae Ground squirrels, tree | | | |
| squirrels | | | |
| | Cynomys mexicanus | | |
| | | | <i>Marmota caudata</i> (India) |
| | | | <i>Marmota himalayana</i> (India) |
| | | Ratufa spp. | |
| SCANDENTIA Tree shrews | | | |
| | | SCANDENTIA spp. | |
| SIRENIA | | | |
| Dugongidae Dugong | | | |
| | Dugong dugon | | |
| Trichechidae Manatees | | | |
| | Trichechus inunguis | | |
| | Trichechus manatus | | |
| | Trichechus senegalensis | | |
| CLASS AVES (BIRDS) | - | | |
| ANSERIFORMES | | | |
| Anatidae Ducks, geese, swans, etc. | - | | |
| | Anas aucklandica | | |
| | | Anas bernieri | |
| | Anas chlorotis | | |
| | | Anas formosa | |
| | Anas laysanensis | | |
| | Anas nesiotis | | |
| | Asarcornis scutulata | | |
| | Branta canadensis leucopareia | | |
| | | Branta ruficollis | |
| | i Annendices I | , II & III (26/11/2019) — р. 23 | 1 |

| | Appendices | | |
|------------------------------------|---------------------------|--------------------------------------|--|
| | I | II | III |
| | Branta sandvicensis | | |
| | | Coscoroba coscoroba | |
| | | Cygnus melancoryphus | |
| | | Dendrocygna arborea | |
| | | | Dendrocygna autumnalis (Honduras) |
| | | | Dendrocygna bicolor (Honduras) |
| | | Oxyura leucocephala | |
| | Rhodonessa caryophyllacea | | |
| | | Sarkidiornis melanotos | |
| APODIFORMES | | | |
| Trochilidae Hummingbirds | | | |
| | | Trochilidae spp. (Except the species | |
| | | included in Appendix I) | |
| | Glaucis dohrnii | | |
| CHARADRIIFORMES | | | |
| Burhinidae Thick-knees | | | |
| | | | Burhinus bistriatus (Guatemala) |
| Laridae Gulls | | | |
| | Larus relictus | | |
| Scolopacidae Curlews, greenshanks | | | |
| | Numenius borealis | | |
| | Numenius tenuirostris | | |
| | Tringa guttifer | | |
| CICONIIFORMES | | | |
| Balaenicipitidae Shoebills, whale- | | | |
| headed storks | | | |
| | | Balaeniceps rex | |
| Ciconiidae Storks | | | |
| | Ciconia boyciana | | |
| | | Ciconia nigra | |
| | Jabiru mycteria | | |
| | Mycteria cinerea | | |
| Phoenicopteridae Flamingos | | | |
| | | Phoenicopteridae spp. | |

| | Appendices | | |
|--------------------------------------|--------------------------|--|-----------------------------|
| | I | II | III |
| Threskiornithidae Ibises, spoonbil | ls | | |
| | | Eudocimus ruber | |
| | | Geronticus calvus | |
| | Geronticus eremita | | |
| | Nipponia nippon | | |
| | | Platalea leucorodia | <u> </u> |
| COLUMBIFORMES | | | |
| Columbidae Doves, pigeons | | | |
| | Caloenas nicobarica | | |
| | Ducula mindorensis | | |
| | | Gallicolumba luzonica | |
| | | <i>Goura</i> spp. | |
| CORACIIFORMES | | | Nesoenas mayeri (Mauritius) |
| Bucerotidae Hornbills | | | |
| Bucerolidae Hornblins | | Aceros spp. (Except the species | |
| | | included in Appendix I) | |
| | Aceros nipalensis | ······································ | |
| | | Anorrhinus spp. | |
| | | Anthracoceros spp. | |
| | | Berenicornis spp. | |
| | | Buceros spp. (Except the species | |
| | | included in Appendix I) | |
| | Buceros bicornis | | |
| | | Penelopides spp. | |
| | Rhinoplax vigil | | |
| | | <i>Rhyticeros</i> spp. (Except the species included in Appendix I) | |
| | Rhyticeros subruficollis | | |
| | | I | |
| CUCULIEORMES | | | |
| CUCULIFORMES Musophagidae Turacos | | | |

| | | Appendices | |
|--|---------------------------------------|---|-----------------------------------|
| | l l | II | Ш |
| FALCONIFORMES Eagles, falcons, hawks, vultures | | | |
| | | FALCONIFORMES spp. (Except | |
| | | Caracara lutosa and the species of the | |
| | | family Cathartidae, which are not | |
| | | included in the Appendices; and the species included in Appendices I and III) | |
| | | species included in Appendices I and III) | |
| Accipitridae Hawks, eagles | | | 1 |
| | Aquila adalberti | | |
| | Aquila heliaca | | |
| | Chondrohierax uncinatus wilsonii | | |
| | Haliaeetus albicilla | | |
| | Harpia harpyja | | |
| | Pithecophaga jefferyi | | <u> </u> |
| Cathartidae New-world vultures | | | т |
| | Gymnogyps californianus | | |
| | | | Sarcoramphus papa (Honduras) |
| | Vultur gryphus | <u> </u> | <u> </u> |
| Falconidae Falcons | | | |
| | Falco araeus | | |
| | Falco jugger | | |
| | Falco newtoni (Only the population of | | |
| | Seychelles) | | |
| | Falco pelegrinoides | | |
| | Falco peregrinus | | |
| | Falco punctatus | | |
| | Falco rusticolus | | <u> </u> |
| GALLIFORMES | | | |
| Cracidae Chachalacas, currassows, | | | |
| guans | | | |
| | | | <i>Crax alberti</i> (Colombia) |
| | Crax blumenbachii | | |
| | | | <i>Crax daubentoni</i> (Colombia) |
| | | | <i>Crax globulosa</i> (Colombia) |
| | | | Crax rubra (Colombia, Guatemala, |
| | | | Honduras) |

| | Appendices | | |
|--|------------------------------|------------------------------|---|
| | I | | Ш |
| | Mitu mitu | | |
| | Oreophasis derbianus | | |
| | | | Ortalis vetula (Guatemala, Honduras) |
| | | | Pauxi pauxi (Colombia) |
| | Penelope albipennis | | |
| | | | Penelope purpurascens (Honduras) |
| | | | Penelopina nigra (Guatemala) |
| | Pipile jacutinga | | |
| | Pipile pipile | | |
| Megapodiidae Megapodes, scrubfowl | | | |
| | Macrocephalon maleo | | |
| Phasianidae Grouse, guineafowl, | | | |
| partridges, peafowl, pheasants, tragopans | | | |
| liagopans | | Argusianus argus | |
| | Catreus wallichii | Argusianus argus | |
| | Colinus virginianus ridgwayi | | |
| | Crossoptilon crossoptilon | | |
| | Crossoptilon mantchuricum | | |
| | | Gallus sonneratii | |
| | | Ithaginis cruentus | |
| | Lophophorus impejanus | | |
| | Lophophorus Ihuysii | | |
| | Lophophorus sclateri | | |
| | Lophura edwardsi | | |
| | | | Lophura leucomelanos (Pakistan) |
| | Lophura swinhoii | | |
| | | | <i>Meleagris ocellata</i> (Guatemala) |
| | | | Pavo cristatus (Pakistan) |
| | | Pavo muticus | |
| | | Polyplectron bicalcaratum | |
| | | Polyplectron germaini | |
| | | Polyplectron malacense | |
| | Polyplectron napoleonis | | |
| | | Polyplectron schleiermacheri | |

| | | Appendices | | |
|-------------------|---|--|---------------------------------------|--|
| | 1 | II | III | |
| | Rheinardia ocellata Syrmaticus ellioti Syrmaticus humiae Syrmaticus mikado Tetraogallus caspius Tetraogallus tibetanus Tragopan blythii Tragopan caboti Tragopan melanocephalus | Syrmaticus reevesii | <i>Pucrasia macrolopha</i> (Pakistan) | |
| | | | <i>Tragopan satyra</i> (Nepal) | |
| | | Tympanuchus cupido attwateri | | |
| GRUIFORMES | | | | |
| Gruidae Cranes | | | | |
| | Balearica pavonina Grus americana Grus canadensis nesiotes Grus canadensis pulla Grus japonensis Grus leucogeranus Grus monacha Grus nigricollis Grus vipio | Gruidae spp. (Except the species included in Appendix I) | | |
| Otididae Bustards | | | | |
| | Ardeotis nigriceps Chlamydotis macqueenii Chlamydotis undulata Houbaropsis bengalensis | Otididae spp. (Except the species included in Appendix I) | | |
| Rallidae Rails | | | | |
| | Gallirallus sylvestris | | | |

| | | Appendices | |
|------------------------------------|--|---------------------------------|--------------------------------------|
| | I | ll | III |
| Rhynochetidae Kagu | | | |
| | Rhynochetos jubatus | | |
| PASSERIFORMES | | | |
| Atrichornithidae Scrub-birds | | | |
| | Atrichornis clamosus | | |
| Cotingidae Cotingas | | | |
| | | | Cephalopterus ornatus (Colombia) |
| | | | Cephalopterus penduliger (Colombia) |
| | Cotinga maculata | | |
| | | <i>Rupicola</i> spp. | |
| | Xipholena atropurpurea | | |
| Emberizidae Cardinals, tanagers | | | |
| | | Gubernatrix cristata | |
| | | Paroaria capitata | |
| | | Paroaria coronata | |
| | | Tangara fastuosa | |
| Estrildidae Mannikins, waxbills | | | |
| | | Amandava formosa | |
| | | Lonchura oryzivora | |
| | | Poephila cincta cincta | |
| Fringillidae Finches | | | |
| | Carduelis cucullata | | |
| | | Carduelis yarrellii | |
| Hirundinidae Martins | | | |
| | Pseudochelidon sirintarae | | |
| Icteridae New-world blackbirds | | | |
| | Xanthopsar flavus | | |
| Meliphagidae Honeyeaters | ······································ | | |
| | | Lichenostomus melanops cassidix | |
| Muscicapidae Old-world flycatchers | | | 1 |
| | | | Acrocephalus rodericanus (Mauritius) |
| | | Cyornis ruckii | (maind) |
| | | Dasyornis broadbenti litoralis | |
| | | Dasyornis longirostris | |

| | Appendices | | |
|---------------------------------|------------------------------|--|---|
| | 1 | Ш | Ш |
| | Picathartes gymnocephalus | Garrulax canorus Garrulax taewanus Leiothrix argentauris Leiothrix lutea Liocichla omeiensis | |
| | Picathartes oreas | | Terpsiphone bourbonnensis (Mauritius) |
| Paradisaeidae Birds of paradise | | | |
| | | Paradisaeidae spp. | |
| Pittidae Pittas | | | |
| | Pitta gurneyi Pitta kochi | Pitta guajana Pitta nympha | |
| Pycnonotidae Bulbuls | | | |
| | | Pycnonotus zeylanicus | |
| Sturnidae Mynas, starlings | | | |
| | Leucopsar rothschildi | Gracula religiosa | |
| Zosteropidae White-eyes | | | |
| | Zosterops albogularis | | |
| PELECANIFORMES | | | |
| Fregatidae Frigatebirds | | | |
| Delegenides De ligence | Fregata andrewsi | L | <u> </u> |
| Pelecanidae Pelicans | Pelecanus crispus | | |
| Sulidae Gannets | | L | I |
| | Papasula abbotti | | |
| PICIFORMES | | | |
| Capitonidae Barbets | | | |
| | | | Semnornis ramphastinus (Colombia) |

| | | Appendices | |
|----------------------------|------------------------------|--|--|
| | I | II | Ш |
| Picidae Woodpeckers | | | |
| | Dryocopus javensis richardsi | | |
| Ramphastidae Toucans | | | |
| | | | Baillonius bailloni (Argentina) |
| | | Pteroglossus aracari | |
| | | | Pteroglossus castanotis (Argentina) |
| | | Pteroglossus viridis | |
| | | | Ramphastos dicolorus (Argentina) |
| | | Ramphastos sulfuratus | |
| | | Ramphastos toco | |
| | | Ramphastos tucanus | |
| | | Ramphastos vitellinus | |
| | | | Selenidera maculirostris (Argentina) |
| PODICIPEDIFORMES | | | |
| Podicipedidae Grebes | | | |
| | Podilymbus gigas | | |
| PROCELLARIIFORMES | | | |
| Diomedeidae Albatrosses | | | |
| | Phoebastria albatrus | | <u> </u> |
| PSITTACIFORMES | | | |
| | | PSITTACIFORMES spp. (Except the | |
| | | species included in Appendix I and | |
| | | Agapornis roseicollis, Melopsittacus undulatus, Nymphicus hollandicus and | |
| | | <i>Psittacula krameri</i> , which are not | |
| | | included in the Appendices) | |
| Cacatuidae Cockatoos | | | |
| | Cacatua goffiniana | | |
| | Cacatua haematuropygia | | |
| | Cacatua moluccensis | | |
| | Cacatua sulphurea | | |
| | Probosciger aterrimus | | |
| Loriidae Lories, lorikeets | | <u>-</u> | |
| | Eos histrio | | |
| | Vini ultramarina | | |

| | Appendices | | |
|------------------------------|--------------------------------|----|---|
| | I | II | Ш |
| Psittacidae Amazons, macaws, | | | |
| parakeets, parrots | | | |
| | Amazona arausiaca | | |
| | Amazona auropalliata | | |
| | Amazona barbadensis | | |
| | Amazona brasiliensis | | |
| | Amazona finschi | | |
| | Amazona guildingii | | |
| | Amazona imperialis | | |
| | Amazona leucocephala | | |
| | Amazona oratrix | | |
| | Amazona pretrei | | |
| | Amazona rhodocorytha | | |
| | Amazona tucumana | | |
| | Amazona versicolor | | |
| | Amazona vinacea | | |
| | Amazona viridigenalis | | |
| | Amazona vittata | | |
| | Anodorhynchus spp. | | |
| | Ara ambiguus | | |
| | Ara glaucogularis | | |
| | Ara macao | | |
| | Ara militaris | | |
| | Ara rubrogenys | | |
| | Cyanopsitta spixii | | |
| | Cyanoramphus cookii | | |
| | Cyanoramphus forbesi | | |
| | Cyanoramphus novaezelandiae | | |
| | Cyanoramphus saisseti | | |
| | Cyclopsitta diophthalma coxeni | | |
| | Eunymphicus cornutus | | |
| | Guarouba guarouba | | |
| | Neophema chrysogaster | | |
| | Ognorhynchus icterotis | | |
| | Pezoporus occidentalis | | |

| | Appendices | | |
|-----------------------|--------------------------------------|---|--------------|
| | I | II | Ш |
| | Pezoporus wallicus | | |
| | Pionopsitta pileata | | |
| | Primolius couloni | | |
| | Primolius maracana | | |
| | Psephotus chrysopterygius | | |
| | Psephotus dissimilis | | |
| | Psephotus pulcherrimus | | |
| | Psittacula echo | | |
| | Psittacus erithacus | | |
| | Pyrrhura cruentata | | |
| | Rhynchopsitta spp. | | |
| | Strigops habroptilus | <u> </u> | |
| RHEIFORMES | | | |
| Rheidae Rheas | | | |
| | Pterocnemia pennata (Except | | |
| | Pterocnemia pennata pennata which is | | |
| | included in Appendix II) | Déara anomia nonnata nonnata | |
| | | Pterocnemia pennata pennata Rhea americana | |
| SPHENISCIFORMES | | Rnea americana | |
| | | | |
| Spheniscidae Penguins | | Cabonicous domorrous | |
| | Caboniaous humbaldti | Spheniscus demersus | |
| STRIGIFORMES Owls | Spheniscus humboldti | | |
| STRIGIFORMES OWIS | | | |
| | | STRIGIFORMES spp. (Except the species included in Appendix I and | |
| | | Sceloglaux albifacies) | |
| Strigidae Owls | | | ¹ |
| | Heteroglaux blewitti | | |
| | Mimizuku gurneyi | | |
| | Ninox natalis | | |
| Tytonidae Barn owls | | | ¹ |
| | Tyto soumagnei | | |

| | Appendices | | |
|--|---|--|-----|
| | I | I | III |
| STRUTHIONIFORMES | | | |
| Struthionidae Ostriches | | | |
| | Struthio camelus (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Appendices) | | |
| TINAMIFORMES | | | |
| Tinamidae Tinamous | | | |
| | Tinamus solitarius | <u> </u> | |
| TROGONIFORMES | | | |
| Trogonidae Quetzals | | τ | |
| | Pharomachrus mocinno | | |
| CLASS REPTILIA (REPTILES) | | | |
| CROCODYLIA Alligators, caimans, crocodiles | | | |
| | | CROCODYLIA spp. (Except the species included in Appendix I) | |
| Alligatoridae Alligators, caimans | | | |
| | Alligator sinensis | | |
| | Caiman crocodilus apaporiensis Caiman latirostris (Except the population of Argentina, which is included in Appendix II) Melanosuchus niger (Except the population of Brazil, which is included in Appendix II, and the population of Ecuador, which is included in Appendix II and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group) | | |

| | | Appendices | |
|-------------------------|---|------------|-----|
| | | <u> </u> | III |
| Crocodylidae Crocodiles | | | |
| | Crocodylus acutus (Except the | | |
| | population of the Integrated | | |
| | Management District of Mangroves of the Bay of Cispata, Tinajones, La Balsa | | |
| | and Surrounding Areas, Department of | | |
| | Córdoba, Colombia, and the population | | |
| | of Cuba, which are included in | | |
| | Appendix II; and the population of | | |
| | Mexico, which is included in Appendix II | | |
| | and is subject to a zero export quota for wild specimens for commercial | | |
| | purposes) | | |
| | Crocodylus cataphractus | | |
| | Crocodylus intermedius | | |
| | Crocodylus mindorensis | | |
| | Crocodylus moreletii (Except the | | |
| | population of Belize, which is included in | | |
| | Appendix II with a zero quota for wild | | |
| | specimens traded for commercial purposes, and the population of Mexico, | | |
| | which is included in Appendix II) | | |
| | Crocodylus niloticus [Except the | | |
| | populations of Botswana, Egypt (subject | | |
| | to a zero quota for wild specimens | | |
| | traded for commercial purposes), | | |
| | Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, | | |
| | Uganda, the United Republic of | | |
| | Tanzania (subject to an annual export | | |
| | quota of no more than 1,600 wild | | |
| | specimens including hunting trophies, in | | |
| | addition to ranched specimens), Zambia | | |
| | and Zimbabwe, which are included in Appendix II] | | |
| | Crocodylus palustris | | |
| 1 | ci ocodynas panastris | | |

| | Appendices | | |
|--|---|---|---|
| | I | II | Ш |
| | Crocodylus porosus {Except the populations of Australia, Indonesia, Malaysia [wild harvest restricted to the State of Sarawak and a zero quota for wild specimens for the other States of Malaysia (Sabah and Peninsular Malaysia), with no change in the zero quota unless approved by the Parties] and Papua New Guinea, which are included in Appendix II} Crocodylus rhombifer Crocodylus siamensis Osteolaemus tetraspis | | |
| | Tomistoma schlegelii | | |
| Gavialidae Gavials | | | |
| | Gavialis gangeticus | | |
| RHYNCHOCEPHALIA | | | |
| Sphenodontidae Tuataras | | | |
| | Sphenodon spp. | | |
| SAURIA | | | |
| Agamidae Spiny-tailed lizards, agamas | | | |
| | Ceratophora erdeleni Ceratophora karu Ceratophora tennentii Cophotis ceylanica Cophotis dumbara | Ceratophora aspera (Zero export quota for wild specimens for commercial purposes) Ceratophora stoddartii (Zero export quota for wild specimens for commercial purposes) Lyriocephalus scutatus (Zero export quota for wild specimens for commercial purposes) | |

| | | Appendices | |
|---------------------------------|---------------------|---|-----|
| | I | <u> </u> | III |
| | | <i>Saara</i> spp. | |
| | | Uromastyx spp. | |
| Anguidae Alligator lizards | | | |
| | | Abronia spp. [Except the species included in Appendix I (zero export quota for wild specimens for Abronia aurita, A. gaiophantasma, A. montecristoi, A. salvadorensis and A. vasconcelosii)] | |
| | Abronia anzuetoi | | |
| | Abronia campbelli | | |
| | Abronia fimbriata | | |
| | Abronia frosti | | |
| | Abronia meledona | | |
| Chamaeleonidae Chameleons | | | |
| | | Archaius spp. | |
| | | Bradypodion spp. | |
| | | <i>Brookesia</i> spp. (Except the species included in Appendix I) | |
| | Brookesia perarmata | | |
| | | Calumma spp. | |
| | | Chamaeleo spp. | |
| | | Furcifer spp. | |
| | | Kinyongia spp. | |
| | | Nadzikambia spp. | |
| | | Palleon spp. | |
| | | Rhampholeon spp. | |
| | | Rieppeleon spp. | |
| | | Trioceros spp. | |
| Cordylidae Spiny-tailed lizards | | | |
| | | Cordylus spp. | |
| | | Hemicordylus spp. | |
| | | Karusaurus spp. | |
| | | Namazonurus spp. | |
| | | Ninurta spp. | |
| | | Ouroborus spp. | |

Appendices I, II & III (26/11/2019) – p. 37

| | I | Appendices II | III |
|--|------------------------|--------------------------------|---|
| | | Pseudocordylus spp. | |
| | | Smaug spp. | |
| Eublepharidae Eyelid geckos | | | |
| ······································ | | Goniurosaurus spp. (Except the | |
| | | species native to Japan) | |
| Sekkonidae Geckos | | | |
| | Cnemaspis psychedelica | | |
| | | | Dactylocnemis spp. (New Zealand) |
| | | Gekko gecko | |
| | Gonatodes daudini | | |
| | | | Hoplodactylus spp. (New Zealand) |
| | Lygodactylus williamsi | | |
| | | | <i>Mokopirirakau</i> spp. (New Zealand) |
| | | Nactus serpensinsula | |
| | | <i>Naultinus</i> spp. | |
| | | Paroedura androyensis | |
| | | Paroedura masobe | |
| | | Phelsuma spp. | |
| | | Rhoptropella spp. | |
| | | | Sphaerodactylus armasi (Cuba) |
| | | | Sphaerodactylus celicara (Cuba) |
| | | | Sphaerodactylus dimorphicus (Cuba |
| | | | Sphaerodactylus intermedius (Cuba) |
| | | | Sphaerodactylus nigropunctatus alayoi (Cuba) |
| | | | Sphaerodactylus nigropunctatus granti (Cuba) |
| | | | Sphaerodactylus nigropunctatus lissodesmus (Cuba) |
| | | | Sphaerodactylus nigropunctatus ocujal (Cuba) |
| | | | Sphaerodactylus nigropunctatus strategus (Cuba) |
| | | | Sphaerodactylus notatus atactus (Cuba) |
| | | | Sphaerodactylus oliveri (Cuba) |

| | Appendices | | |
|--------------------------------------|-----------------------------------|---------------------------------------|---------------------------------|
| | I | II | III |
| | | | Sphaerodactylus pimienta (Cuba) |
| | | | Sphaerodactylus ruibali (Cuba) |
| | | | Sphaerodactylus siboney (Cuba) |
| | | | Sphaerodactylus torrei (Cuba) |
| | | | Toropuku spp.(New Zealand) |
| | | | Tukutuku spp. (New Zealand) |
| | | <i>Uroplatus</i> spp. | |
| | | | Woodworthia spp. (New Zealand) |
| lelodermatidae Beaded lizards, Gila | | | |
| nonsters | | | |
| | | Heloderma spp. (Except the | |
| | | subspecies included in Appendix I) | |
| | Heloderma horridum charlesbogerti | | |
| guanidae Iguanas | | | |
| | | Amblyrhynchus cristatus | |
| | Brachylophus spp. | | |
| | | Conolophus spp. | |
| | | Ctenosaura spp. | |
| | <i>Cyclura</i> spp. | | |
| | | <i>Iguana</i> spp. | |
| | | Phrynosoma blainvillii | |
| | | Phrynosoma cerroense | |
| | | Phrynosoma coronatum | |
| | | Phrynosoma wigginsi | |
| | Sauromalus varius | | |
| acertidae Lizards | | | |
| | Gallotia simonyi | | |
| | - | Podarcis lilfordi | |
| | | Podarcis pityusensis | |
| anthanotidae Earless monitor lizards | · | | |
| | | Lanthanotidae spp. (Zero export quota | |
| | | for wild specimens for commercial | |
| | <u> </u> | purposes) | |

| | | Appendices | | |
|--------------------------------------|------------------------------|----------------------------------|--------------------------------|--|
| | I | I | | |
| Polychrotidae Anoles | | | | |
| | | | Anolis agueroi (Cuba) | |
| | | | Anolis baracoae (Cuba) | |
| | | | Anolis barbatus (Cuba) | |
| | | | Anolis chamaeleonides (Cuba) | |
| | | | Anolis equestris (Cuba) | |
| | | | Anolis guamuhaya (Cuba) | |
| | | | Anolis luteogularis (Cuba) | |
| | | | Anolis pigmaequestris (Cuba) | |
| | | | Anolis porcus (Cuba) | |
| Scincidae Skinks | | | | |
| | | Corucia zebrata | | |
| Teiidae Caiman lizards, tegu lizards | | | | |
| | | Crocodilurus amazonicus | | |
| | | Dracaena spp. | | |
| | | Salvator spp. | | |
| | | Tupinambis spp. | | |
| Varanidae Monitor lizards | | | | |
| | | Varanus spp. (Except the species | | |
| | | included in Appendix I) | | |
| | Varanus bengalensis | | | |
| | Varanus flavescens | | | |
| | Varanus griseus | | | |
| | Varanus komodoensis | | | |
| | Varanus nebulosus | | | |
| Xenosauridae Chinese crocodile | | L | I | |
| lizard | | | | |
| | Shinisaurus crocodilurus | | | |
| SERPENTES | | | ± | |
| Boidae Boas | | | | |
| | | Boidae spp. (Except the species | | |
| | | included in Appendix I) | | |
| | Acrantophis spp. | | | |
| | Boa constrictor occidentalis | | | |
| | Epicrates inornatus | | | |

| | Appendices | | |
|--|---------------------------|--------------------------------------|---|
| | I | I | |
| | Epicrates monensis | | |
| | Epicrates subflavus | | |
| | Sanzinia madagascariensis | | |
| Bolyeriidae Round Island boas | | | |
| | | Bolyeriidae spp. (Except the species | |
| | | included in Appendix I) | |
| | Bolyeria multocarinata | | |
| | Casarea dussumieri | | |
| Colubridae Typical snakes, water snakes, whipsnakes | | | |
| | | | Atretium schistosum (India) |
| | | | Cerberus rynchops (India) |
| | | Clelia clelia | |
| | | Cyclagras gigas | |
| | | Elachistodon westermanni | |
| | | Ptyas mucosus | |
| | | | Xenochrophis piscator (India) |
| | | | Xenochrophis schnurrenbergeri |
| | | | (India) |
| | | | Xenochrophis tytleri (India) |
| Elapidae Cobras, coral snakes | | | |
| | | Hoplocephalus bungaroides | |
| | | | <i>Micrurus diastema</i> (Honduras) |
| | | | <i>Micrurus nigrocinctus</i> (Honduras) |
| | | | <i>Micrurus ruatanus</i> (Honduras) |
| | | Naja atra | |
| | | Naja kaouthia | |
| | | Naja mandalayensis | |
| | | Naja naja | |
| | | Naja oxiana | |
| | | Naja philippinensis | |
| | | Naja sagittifera | |
| | | Naja samarensis | |
| | | Naja siamensis | |
| | | Naja sputatrix | |

| | Appendices | | |
|---|--|--|---|
| | I | | |
| | | Naja sumatrana | |
| | | Ophiophagus hannah | <u> </u> |
| Loxocemidae Mexican dwarf boas | | | |
| | | Loxocemidae spp. | <u> </u> |
| Pythonidae Pythons | | | |
| | Python molurus molurus | Pythonidae spp. (Except the subspecies included in Appendix I) | |
| Tropidophiidae Wood boas | | | |
| | | Tropidophiidae spp. | |
| Viperidae Vipers | | ······ | |
| | | Atheris desaixi | T |
| | | Bitis worthingtoni | |
| | | | Crotalus durissus (Honduras) Daboia russelii (India) |
| | | Pseudocerastes urarachnoides | |
| | Vipera ursinii (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Appendices) | Trimeresurus mangshanensis | |
| | | Vipera wagneri | |
| TESTUDINES | | | |
| Carettochelyidae Pig-nosed turtles | | | |
| | | Carettochelys insculpta | |
| Chelidae Austro-American sideneck turtles | | | |
| | | <i>Chelodina mccordi</i> (Zero export quota for specimens from the wild) | |
| | Pseudemydura umbrina | | |
| Cheloniidae Sea turtles | | | |
| | Cheloniidae spp. | | |

| | | Appendices II | Ш |
|--|----------------------------------|---|--|
| Chelydridae Snapping turtles | - | | |
| | | | Chelydra serpentina (United States of America) |
| | | | <i>Macrochelys temminckii</i> (United States of America) |
| Dermatemydidae Central American river turtles | | | |
| | | Dermatemys mawii | |
| Dermochelyidae Leatherback turtles | | | |
| | Dermochelys coriacea | | |
| Emydidae Box turtles, freshwater turtles | | | |
| | Glyptemys muhlenbergii | Clemmys guttata Emydoidea blandingii Glyptemys insculpta | |
| | - ,,,,, | Malaclemys terrapin | <i>Graptemys</i> spp. (United States of America) |
| | | <i>Terrapene</i> spp. (Except the species included in Appendix I) | |
| | Terrapene coahuila | | <u> </u> |
| Geoemydidae Box turtles, freshwater turtles | | | |
| | Batagur affinis Batagur baska | | |
| | | Batagur borneoensis (Zero quota for wild specimens for commercial purposes) Batagur dhongoka | |
| | | <i>Batagur kachuga</i> <i>Batagur trivittata</i> (Zero quota for wild specimens for commercial purposes) | |

| Appendices I II III I I II III Image: Constant of the species of the | |
|--|--------|
| included in Appendix I; zero quota for wild specimens for commercial purposes for <i>Cuora aurocapitata,</i> | |
| wild specimens for commercial purposes for <i>Cuora aurocapitata,</i> | |
| for Cuora aurocapitata, | |
| | |
| | |
| C. mccordi, C. mouhotii, C. pani, | |
| C. trifasciata, C. yunnanensis and | |
| C. zhoui) | |
| Cuora bourreti | |
| Cuora picturata | |
| Cyclemys spp. | |
| Geoclemys hamiltonii | |
| Geoemyda japonica | |
| Geoemyda spengleri | |
| Hardella thurjii | |
| Heosemys annandalii (Zero quota for | |
| wild specimens for commercial | |
| purposes) | |
| Heosemys depressa (Zero quota for wild specimens for commercial | |
| purposes) | |
| Heosemys grandis | |
| Heosemys spinosa | |
| Leucocephalon yuwonoi | |
| Malayemys macrocephala | |
| Malayemys subtrijuga | |
| Mauremys annamensis | |
| Mauremys iversoni (China) | |
| Mauremys japonica | |
| Mauremys megalocephala (| China) |
| Mauremys mutica | |
| Mauremys nigricans | |
| Mauremys pritchardi (China) |) |
| <i>Mauremys reevesii</i> (China) | |
| <i>Mauremys sinensis</i> (China) | |
| Melanochelys tricarinata | |

| | Appendices | | |
|---|--|---|---|
| | I | | ш |
| | Morenia ocellata | Melanochelys trijuga Morenia petersi | |
| | | Notochelys platynota Orlitia borneensis (Zero quota for wild specimens for commercial purposes) Pangshura spp. (Except the species included in Appendix I) | Ocadia glyphistoma (China) Ocadia philippeni (China) |
| | Pangshura tecta | Sacalia bealei Sacalia quadriocellata Siebenrockiella crassicollis Siebenrockiella leytensis Vijayachelys silvatica | Sacalia pseudocellata (China) |
| Platysternidae Big-headed turtles | | vijayačinčiyo Silvanča | I |
| | Platysternidae spp. | | |
| Podocnemididae Afro-American sideneck turtles | | | ± |
| | | Erymnochelys madagascariensis Peltocephalus dumerilianus Podocnemis spp. | |
| Testudinidae Tortoises | | | |
| | Astrochelys radiata Astrochelys yniphora Chelonoidis niger Geochelone elegans Geochelone platynota | Testudinidae spp. (Except the species included in Appendix I. A zero annual export quota has been established for <i>Centrochelys sulcata</i> for specimens removed from the wild and traded for primarily commercial purposes) | |

| | Appendices | | |
|--------------------------------|--------------------------|---|--|
| | I | II | III |
| | Gopherus flavomarginatus | | |
| | Malacochersus tornieri | | |
| | Psammobates geometricus | | |
| | Pyxis arachnoides | | |
| | Pyxis planicauda | | |
| | Testudo kleinmanni | | <u> </u> |
| Trionychidae Softshell turtles | | | |
| | | Amyda cartilaginea | |
| | | | <i>Apalone ferox</i> (United States of America) |
| | | | <i>Apalone mutica</i> (United States of America) |
| | | | <i>Apalone spinifera</i> (Except the subspecies included in Appendix I) (United States of America) |
| | Apalone spinifera atra | | |
| | | Chitra spp. (Except the species | |
| | | included in Appendix I) | |
| | Chitra chitra | | |
| | Chitra vandijki | | |
| | | Cyclanorbis elegans | |
| | | Cyclanorbis senegalensis | |
| | | Cycloderma aubryi | |
| | | Cycloderma frenatum | |
| | | Dogania subplana | |
| | | Lissemys ceylonensis Lissemys punctata | |
| | | Lissemys scutata | |
| | | Nilssonia formosa | |
| | Nilssonia gangetica | | |
| | Nilssonia hurum | | |
| | | Nilssonia leithii | |
| | Nilssonia nigricans | | |
| | | Palea steindachneri | |
| | | Pelochelys spp. | |
| | 1 | | 1 |

| | Appendices | | |
|------------------------------------|--|-------------------------|--------------------------------|
| | I | <u> </u> | |
| | | Pelodiscus axenaria | |
| | | Pelodiscus maackii | |
| | | Pelodiscus parviformis | |
| | | Rafetus euphraticus | |
| | | Rafetus swinhoei | |
| | | Trionyx triunguis | |
| CLASS AMPHIBIA (AMPHIBIANS) | | · · · · | |
| ANURA | | | |
| Aromobatidae Cryptic forest frogs | | | |
| | | Allobates femoralis | |
| | | Allobates hodli | |
| | | Allobates myersi | |
| | | Allobates zaparo | |
| | | Anomaloglossus rufulus | |
| Bufonidae Toads | | Anomalogicosus rutulus | |
| | Amietophrynus channingi | T | |
| | Amietophrynus channingi Amietophrynus superciliaris | | |
| | Altiphrynoides spp. | | |
| | Atelopus zeteki | | |
| | - | | |
| | Incilius periglenes | | |
| | Nectophrynoides spp. | | |
| | Nimbaphrynoides spp. | l | |
| Calyptocephalellidae Chilean toads | | | |
| | | <u> </u> | Calyptocephalella gayi (Chile) |
| Dendrobatidae Poison frogs | | | |
| | | Adelphobates spp. | |
| | | <i>Ameerega</i> spp. | |
| | | Andinobates spp. | |
| | | Dendrobates spp. | |
| | | Epipedobates spp. | |
| | | Excidobates spp. | |
| | | Hyloxalus azureiventris | |
| | | Minyobates spp. | |
| | | <i>Oophaga</i> spp. | |

| | Appendices | | |
|---------------------------------------|---------------------------------------|--|--|
| | I | И | Ш |
| | | Phyllobates spp. | |
| | | <i>Ranitomeya</i> spp. | |
| Dicroglossidae Frogs | | | |
| | | Euphlyctis hexadactylus | |
| | | Hoplobatrachus tigerinus | |
| Hylidae Tree frogs | | | |
| | | Agalychnis spp. | |
| Mantellidae Mantella frogs | | | |
| | | Mantella spp. | |
| Microhylidae Tomato frogs | | | |
| | · · · · · · · · · · · · · · · · · · · | Dyscophus antongilii | |
| | | Dyscophus guineti | |
| | | Dyscophus insularis | |
| | | Scaphiophryne boribory | |
| | | Scaphiophryne gottlebei | |
| | | Scaphiophryne marmorata | |
| | | Scaphiophryne spinosa | |
| Myobatrachidae Gastric-brooding frogs | | | |
| | l | Rheobatrachus spp. (Except | Т |
| | | Rheobatrachus silus and | |
| | | Rheobatrachus vitellinus which are not | |
| | | included in the Appendices) | |
| Telmatobiidae Andean water frogs | | | |
| | Telmatobius culeus | | |
| CAUDATA | | | |
| Ambystomatidae Axolotls, mole | | | |
| salamanders | <u> </u> | | |
| | | Ambystoma dumerilii | |
| | L | Ambystoma mexicanum | <u> </u> |
| Cryptobranchidae Giant salamanders | | | |
| | Andrias spp. | | |
| | | | <i>Cryptobranchus alleganiensis</i> (United States of America) |

| | Appendices | | |
|-------------------------------------|-------------------|---|------------------------------------|
| Lunabiidae Asistia salamandara | I | | |
| Hynobiidae Asiatic salamanders | | | Il mobile omilionaia (Obiaa) |
| | | I | Hynobius amjiensis (China) |
| Salamandridae Newts and salamanders | | | |
| | | Echinotriton chinhaiensis Echinotriton maxiquadratus | |
| | Neurergus kaiseri | Paramesotriton spp. | |
| | | <i>Tylototriton</i> spp. | Salamandra algira (Algeria) |
| CLASS ELASMOBRANCHII (SHARKS) | | | |
| CARCHARHINIFORMES | | | |
| Carcharhinidae Requiem sharks | | | |
| | | Carcharhinus falciformis | |
| | | Carcharhinus longimanus | |
| Sphyrnidae Hammerhead sharks | | | |
| | | Sphyrna lewini | |
| | | Sphyrna mokarran | |
| | | Sphyrna zygaena | |
| LAMNIFORMES | | | |
| Alopiidae Thresher sharks | | | |
| | | Alopias spp. | |
| Cetorhinidae Basking sharks | | | |
| | | Cetorhinus maximus | |
| Lamnidae Mackerel sharks | | | |
| | | Carcharodon carcharias | |
| | | Isurus oxyrinchus | |
| | | Isurus paucus | |
| | | Lamna nasus | |
| MYLIOBATIFORMES | | | |
| Myliobatidae Eagle and mobulid rays | | | |
| | | Manta spp. | |
| | | Mobula spp. | |

| | Appendices | | |
|---------------------------------------|--|---|-------------------------------------|
| | I | | Ш |
| Potamotrygonidae Freshwater stingrays | | | |
| | | | Paratrygon aiereba (Colombia) |
| | | | Potamotrygon spp. (population of |
| | | | Brazil) (Brazil) |
| | | | Potamotrygon constellata (Colombia) |
| | | | Potamotrygon magdalenae (Colombia) |
| | | | Potamotrygon motoro (Colombia) |
| | | | Potamotrygon orbignyi (Colombia) |
| | | | Potamotrygon schroederi (Colombia) |
| | | | Potamotrygon scobina (Colombia) |
| ORECTOLOBIFORMES | | | Potamotrygon yepezi (Colombia) |
| Rhincodontidae Whale sharks | | | |
| | | Phinoadon tunua | |
| | | Rhincodon typus | |
| PRISTIFORMES | | | |
| Pristidae Sawfishes | | | |
| RHINOPRISTIFORMES | Pristidae spp. | | |
| | | | |
| Glaucostegidae Guitarfishes | | 01 | |
| | | Glaucostegus spp. | |
| Rhinidae Wedgefishes | | Dhinidee enn | |
| | | Rhinidae spp. | |
| CLASS ACTINOPTERI (FISHES) | | | |
| ACIPENSERIFORMES | | | |
| | | ACIPENSERIFORMES spp. (Except the species included in Appendix I) | |
| Acipenseridae Sturgeons | | | |
| Acipensendae Sturgeons | A sizonsor brovirostrum | | |
| | Acipenser brevirostrum Acipenser sturio | | |
| ANGUILLIFORMES | | L | |
| Anguillidae Freshwater eels | | | |
| | | Anguilla anguilla | |

| | | Appendices | |
|------------------------------------|------------------------|--------------------------|-----------------------------|
| | I | | Ш |
| CYPRINIFORMES | | | |
| Catostomidae Cui-ui | | | |
| | Chasmistes cujus | | |
| Cyprinidae Carps | | | |
| | | Caecobarbus geertsii | |
| | Probarbus jullieni | | |
| OSTEOGLOSSIFORMES | | | |
| Arapaimidae Arapaimas | | | |
| | | Arapaima gigas | |
| Osteoglossidae Bonytongue | | | |
| | Scleropages formosus | | |
| | Scleropages inscriptus | | |
| PERCIFORMES | | | |
| Labridae Wrasses | | | |
| | | Cheilinus undulatus | |
| Pomacanthidae Angelfishes | | | |
| | | Holacanthus clarionensis | |
| Sciaenidae Totoaba | | | |
| | Totoaba macdonaldi | | |
| SILURIFORMES | | | |
| Loricariidae Armoured catfishes | | | |
| | | | Hypancistrus zebra (Brazil) |
| Pangasiidae Pangasid catfish | | | |
| | Pangasianodon gigas | | |
| SYNGNATHIFORMES | | | |
| Syngnathidae Pipefishes, seahorses | | | |
| | | Hippocampus spp. | |
| CLASS DIPNEUSTI (LUNGFISHES) | | | |
| CERATODONTIFORMES | | | |
| Neoceratodontidae Australian | | | |
| lungfishes | | | |
| | | Neoceratodus forsteri | |

| | | Appendices | |
|---|---------------------------------------|--|---------------------------------------|
| CLASS COELACANTHI (COELACANTHS) | I | I | Ш |
| COELACANTHIFORMES | | | |
| Latimeriidae Coelacanths | | | |
| | Latimeria spp. | | |
| PHYLUM ECHINODERMATA CLASS HOLOTHUROIDEA (SEA CUCUMBERS) | | i | i |
| ASPIDOCHIROTIDA | | | |
| Stichopodidae Sea cucumbers | | | |
| | · · · · · · · · · · · · · · · · · · · | | Isostichopus fuscus (Ecuador) |
| HOLOTHURIIDA | | · | · · · · · · · · · · · · · · · · · · · |
| Holothuriidae Teatfishes, Sea cucumbers | | | |
| | | <i>Holothuria fuscogilva</i> (Entry into effect delayed by 12 months, i.e. until 28 August 2020) <i>Holothuria nobilis</i> (Entry into effect | |
| | | delayed by 12 months, i.e. until 28 August 2020) | |
| | | <i>Holothuria whitmaei</i> (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| PHYLUM ARTHROPODA CLASS ARACHNIDA (SCORPIONS AND SPIDERS) | | | |
| ARANEAE | | | |
| Theraphosidae Red-kneed | ÷ | | |
| tarantulas, tarantulas | | | |
| | | Aphonopelma albiceps | |
| | | Aphonopelma pallidum | |
| | | Brachypelma spp. | |
| | <u> </u> | Poecilotheria spp. | <u> </u> |

| | | Appendices | |
|--|---|---|----------------------------------|
| | I | l | III |
| SCORPIONES | | | |
| Scorpionidae Scorpions | | | |
| | | Pandinus camerounensis | |
| | | Pandinus dictator | |
| | | Pandinus gambiensis | |
| | | Pandinus imperator Pandinus roeseli | |
| CLASS INSECTA (INSECTS) | | Paridinus roesen | |
| COLEOPTERA | | | |
| Lucanidae Stag beetles | | | |
| Lucanidae Stay Deelles | | | Colophon spp. (South Africa) |
| Scarabaeidae Scarab beetles | | <u>i</u> | |
| Scalabaeidae Scalab beelles | | Dynastes satanas | |
| LEPIDOPTERA | | Dynastes satanas | |
| Nymphalidae Brush-footed butterflies | | | |
| Trymphalidae Didsin-tooled Dutternies | | | Agrias amydon boliviensis |
| | | | (Plurinational State of Bolivia) |
| | | | , Morpho godartii lachaumei |
| | | | (Plurinational State of Bolivia) |
| | | | Prepona praeneste buckleyana |
| | | | (Plurinational State of Bolivia) |
| Papilionidae Birdwing butterflies, swallowtail butterflies | | | |
| | Achillides chikae chikae | | |
| | Achillides chikae chikae Achillides chikae hermeli | | |
| | Achimides chikae hermen | Atrophaneura jophon | |
| | | Atrophaneura jophon Atrophaneura pandiyana | |
| | | Bhutanitis spp. | |
| | | Ornithoptera spp. (Except the species | |
| | | included in Appendix I) | |
| | Ornithoptera alexandrae | , | |
| | Papilio homerus | | |
| | | Papilio hospiton | |
| | Parides burchellanus | | |

| | Appendices | | |
|--|--|---|-------|
| | I | | Ш |
| | | Parnassius apollo | |
| | | <i>Teinopalpus</i> spp. | |
| | | Trogonoptera spp. | |
| | | Troides spp. | |
| PHYLUM ANNELIDA CLASS HIRUDINOIDEA (LEECHES) | | | |
| ARHYNCHOBDELLIDA | | | |
| Hirudinidae Medicinal leeches | | | |
| | | Hirudo medicinalis | |
| | | Hirudo verbana | |
| PHYLUM MOLLUSCA CLASS BIVALVIA (CLAMS AND MUSSELS) | | · | |
| MYTILOIDA | | | |
| Mytilidae Marine mussels | | | |
| | | Lithophaga lithophaga | |
| UNIONOIDA | | | ····· |
| Unionidae Freshwater mussels, pearly mussels | | | |
| D E E E E E E F | Conradilla caelata Promus dromas Epioblasma curtisi Epioblasma florentina Epioblasma sampsonii Epioblasma sulcata perobliqua Epioblasma torulosa gubernaculum Epioblasma torulosa torulosa Epioblasma turgidula Epioblasma walkeri Eusconaia cuneolus Eusconaia edgariana | Cyprogenia aberti Epioblasma torulosa rangiana | |

| | Appendices | | |
|--|---------------------------------|------------------|-----|
| | l | II | III |
| | Lampsilis higginsii | | |
| | Lampsilis orbiculata orbiculata | | |
| | Lampsilis satur | | |
| | Lampsilis virescens | | |
| | Plethobasus cicatricosus | | |
| | Plethobasus cooperianus | | |
| | | Pleurobema clava | |
| | Pleurobema plenum | | |
| | Potamilus capax | | |
| | Quadrula intermedia | | |
| | Quadrula sparsa | | |
| | Toxolasma cylindrella | | |
| | Unio nickliniana | | |
| | Unio tampicoensis tecomatensis | | |
| | Villosa trabalis | | |
| VENEROIDA | | | |
| Tridacnidae Giant clams | | | |
| | | Tridacnidae spp. | |
| CLASS CEPHALOPODA (SQUIDS, OCTOPUSES, CUTTLEFISH) | | | |
| NAUTILIDA | | | |
| Nautilidae Chambered nautilus | | | |
| | | Nautilidae spp. | |
| CLASS GASTROPODA (SNAILS AND CONCHES) | | | |
| MESOGASTROPODA | | | |
| Strombidae True conchs | | | |
| | | Strombus gigas | |
| STYLOMMATOPHORA | | | |
| Achatinellidae Agate snails, oahu tree snails | | | |
| | Achatinella spp. | | |
| L | Achauncha spp. | | |

| | | Appendices | |
|--|---------------|---|--|
| | I | II | III |
| Camaenidae Green tree snails | | | |
| | | Papustyla pulcherrima | |
| Cepolidae Helicoid terrestrial snails | | | |
| | Polymita spp. | | |
| PHYLUM CNIDARIA CLASS ANTHOZOA (CORALS AND SEA ANEMONES) | | | |
| ANTIPATHARIA Black corals | | | |
| | | ANTIPATHARIA spp. | |
| GORGONACEAE | | | |
| Coralliidae Red and pink corals | | | |
| | | | Corallium elatius (China) Corallium japonicum (China) Corallium konjoi (China) Corallium secundum (China) |
| HELIOPORACEA | | | <u>.</u> |
| Helioporidae Blue corals | | | |
| | | Helioporidae spp. (Includes only the species <i>Heliopora coerulea</i> . Fossils are not subject to the provisions of the Convention) | |
| SCLERACTINIA Stony corals | | | |
| | | SCLERACTINIA spp. (Fossils are not subject to the provisions of the Convention) | |
| STOLONIFERA | | | |
| Tubiporidae Organ-pipe corals | | | |
| | | Tubiporidae spp. (Fossils are not subject to the provisions of the Convention) | |

| | Appendices | | | |
|--|------------|---|-----|--|
| | I | I | III | |
| CLASS HYDROZOA (SEA FERNS, FIRE CORALS AND STINGING MEDUSAE) | | | | |
| MILLEPORINA | | | | |
| Milleporidae Fire corals | | | | |
| | | Milleporidae spp. (Fossils are not subject to the provisions of the Convention) | | |
| STYLASTERINA | | | | |
| Stylasteridae Lace corals | | | | |
| | | Stylasteridae spp. (Fossils are not subject to the provisions of the Convention) | | |

| | Appendices | | |
|--|--|---|---|
| | 1 | | Ш |
| FLORA (PLANTS) | | | |
| AGAVACEAE Agaves | | | |
| | Agave parviflora | A | |
| | | Agave victoriae-reginae #4 Nolina interrata | |
| | | Yucca queretaroensis | |
| AMARYLLIDACEAE Snowdrops, sternbergias | | | |
| | | Galanthus spp. #4 | |
| | | Sternbergia spp. #4 | |
| ANACARDIACEAE Cashews | | | |
| | | Operculicarya decaryi | |
| | | Operculicarya hyphaenoides | |
| | | Operculicarya pachypus | |
| APOCYNACEAE Elephant trunks, hoodias | | | |
| | | Hoodia spp. ^{#9} | |
| | | Pachypodium spp. ^{#4} (Except the species included in Appendix I) | |
| | Pachypodium ambongense Pachypodium baronii Pachypodium decaryi | | |

- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
- f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

^{#9} All parts and derivatives except those bearing a label:

[&]quot;Produced from *Hoodia* spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]".

| | Appendices | | |
|--------------------------------------|--------------------|--|-----|
| | 1 | | III |
| | | Rauvolfia serpentina #2 | |
| ARALIACEAE Ginseng | | | |
| | | Panax ginseng ^{#3} (Only the population of the Russian Federation; no other population is included in the Appendices) | |
| | | Panax quinquefolius ^{#3} | |
| ARAUCARIACEAE Monkey-puzzle trees | | | |
| | Araucaria araucana | | |
| ASPARAGACEAE Includes ponytail palms | | | |
| | | Beaucarnea spp. | |
| BERBERIDACEAE May-apple | | | |
| | | Podophyllum hexandrum #2 | |
| BROMELIACEAE Air plants, bromelias | | | |
| | | Tillandsia harrisii #4 | |
| | | Tillandsia kammii #4 | |
| | | Tillandsia xerographica #4 | |

a) seeds and pollen; and

b) finished products packaged and ready for retail trade.

^{#3} Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.

#4 All parts and derivatives, except:

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
 e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#2} All parts and derivatives except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decaryi exported from Madagascar;

| | | Appendices | | | |
|-----------------|--|---|-----|--|--|
| | I | I | III | | |
| CACTACEAE Cacti | | | | | |
| | | CACTACEAE spp. ^{9 #4} (Except the species included in Appendix I and except <i>Pereskia</i> spp., <i>Pereskiopsis</i> spp. and <i>Quiabentia</i> spp.) | | | |
| | <i>Ariocarpus</i> spp. | | | | |
| | Astrophytum asterias | | | | |
| | Aztekium ritteri | | | | |
| | Coryphantha werdermannii | | | | |
| | <i>Discocactus</i> spp. | | | | |
| | Echinocereus ferreiranus ssp. lindsayorum | | | | |
| | Echinocereus schmollii | | | | |
| | Escobaria minima | | | | |
| | Escobaria sneedii | | | | |
| | <i>Mammillaria pectinifera</i> (includes ssp. solisioides) | | | | |
| | Melocactus conoideus | | | | |
| | Melocactus deinacanthus | | | | |
| | Melocactus glaucescens | | | | |
| | Melocactus paucispinus | | | | |

⁹ Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:

- Hatiora x graeseri
- Schlumbergera x buckleyi
- Schlumbergera russelliana x Schlumbergera truncata
- Schlumbergera orssichiana x Schlumbergera truncata
- Schlumbergera opuntioides x Schlumbergera truncata
- Schlumbergera truncata (cultivars)
- Cactaceae spp. colour mutants grafted on the following grafting stocks: Harrisia 'Jusbertii', Hylocereus trigonus or Hylocereus undatus
- Opuntia microdasys (cultivars).
- ^{#4} All parts and derivatives, except:
 - a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants;
 - d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
 - e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
 - f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

| | Appendices | | |
|---|------------|-----|--|
| I | | III | |
| Obregonia denegrii | | | |
| Pachycereus militaris | | | |
| Pediocactus bradyi | | | |
| Pediocactus knowltonii | | | |
| Pediocactus paradinei | | | |
| Pediocactus peeblesianus | | | |
| Pediocactus sileri | | | |
| Pelecyphora spp. | | | |
| Sclerocactus blainei | | | |
| Sclerocactus brevihamatus ssp. tobuschii | | | |
| Sclerocactus brevispinus | | | |
| Sclerocactus cloverae | | | |
| Sclerocactus erectocentrus | | | |
| Sclerocactus glaucus | | | |
| Sclerocactus mariposensis | | | |
| Sclerocactus mesae-verdae | | | |
| Sclerocactus nyensis | | | |
| Sclerocactus papyracanthus | | | |
| Sclerocactus pubispinus | | | |
| Sclerocactus sileri | | | |
| Sclerocactus wetlandicus | | | |
| Sclerocactus wrightiae | | | |
| Strombocactus spp. | | | |
| <i>Turbinicarpus</i> spp. | | | |
| Uebelmannia spp. | | | |

| | Appendices | | |
|---|--|---|---|
| | I I | | Ш |
| CARYOCARACEAE Ajo | | | |
| | | Caryocar costaricense #4 | |
| COMPOSITAE (Asteraceae) Kuth | | | |
| | Saussurea costus | | |
| CUCURBITACEAE Melons, gourds, cucurbits | | | |
| | | Zygosicyos pubescens | |
| | | Zygosicyos tripartitus | |
| CUPRESSACEAE Alerce, cypresses | | | |
| | Fitzroya cupressoides Pilgerodendron uviferum | Widdringtonia whytei | |
| CYATHEACEAE Tree-ferns | <u> </u> | | |
| CIAIIILACLAL IICCICIIIS | l | Cyathea spp. #4 | |
| CYCADACEAE Cycads | | Cyaulea Spp. | |
| | Cycas beddomei | CYCADACEAE spp. ^{#4} (Except the species included in Appendix I) | |
| DICKSONIACEAE Tree-ferns | | I | |
| | | Cibotium barometz ^{#4} Dicksonia spp. ^{#4} (Only the populations of the Americas; no other population is included in the Appendices) | |
| DIDIEREACEAE Alluaudias, | | | |
| didiereas | | DIDIEREACEAE spp. #4 | |

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix *madagascariensis* and *Dypsis decaryi* exported from Madagascar;
 seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

^{d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus} *Vanilla* (Orchidaceae) and of the family Cactaceae;
e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

| | Appendices | | |
|---|--|---|--|
| | · · · · · · · · · · · · · · · · · · · | Ш | |
| DIOSCOREACEAE Elephant's foot, kniss | | | |
| | Dioscorea deltoidea #4 | | |
| DROSERACEAE Venus' flytrap | | | |
| | Dionaea muscipula #4 | | |
| EBENACEAE Ebonies | | | |
| | <i>Diospyros</i> spp. ^{#5} (Populatio Madagascar) | ons of | |
| EUPHORBIACEAE Spurges | | | |
| | <i>Euphorbia</i> spp. ^{#4} (Succuler only except <i>Euphorbia miser</i> species included in Appendix Artificially propagated specim cultivars of <i>Euphorbia trigona</i> propagated specimens of cre shaped or colour mutants of <i>lactea</i> , when grafted on artific propagated root stock of <i>Eup</i> <i>neriifolia</i> , and artificially propa specimens of cultivars of <i>Eup</i> 'Milii' when they are traded in of 100 or more plants and rea recognizable as artificially pro- specimens, are not subject to provisions of the Convention | a and the c I. nens of a, artificially ested, fan- <i>Euphorbia</i> cially bhorbia agated bhorbia n shipments adily opagated o the | |

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#5} Logs, sawn wood and veneer sheets.

| | Appendices | | |
|--------------------------|--|--------------------------|---|
| | I | | ш |
| | Euphorbia ambovombensis | | |
| | Euphorbia capsaintemariensis | | |
| | <i>Euphorbia cremersii</i> (Includes the forma viridifolia and the var. rakotozafyi) | | |
| | Euphorbia cylindrifolia (Includes the ssp. <i>tuberifera</i>) | | |
| | <i>Euphorbia decaryi</i> (Includes the vars. <i>ampanihyensis, robinsonii</i> and <i>spirosticha</i>) | | |
| | Euphorbia francoisii | | |
| | Euphorbia moratii (Includes the vars. antsingiensis, bemarahensis and multiflora) | | |
| | Euphorbia parvicyathophora | | |
| | Euphorbia quartziticola | | |
| | Euphorbia tulearensis | | |
| FAGACEAE Beeches | | | |
| | | | <i>Quercus mongolica</i> ^{#5} (Russian Federation) |
| FOUQUIERIACEAE Ocotillos | | | |
| | | Fouquieria columnaris #4 | |
| | Fouquieria fasciculata Fouquieria purpusii | | |

^{#5} Logs, sawn wood and veneer sheets.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decaryi exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

^{d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus} *Vanilla* (Orchidaceae) and of the family Cactaceae;
e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

| | Appendices | | |
|------------------------------------|-----------------|--|---|
| | 1 | | ш |
| GNETACEAE Gnetums | | | |
| | | | Gnetum montanum ^{#1} (Nepal) |
| JUGLANDACEAE Gavilan | | | |
| | | Oreomunnea pterocarpa #4 | |
| LAURACEAE Laurels | | | |
| | | Aniba rosaeodora ^{#12} | |
| LEGUMINOSAE (Fabaceae) | | | |
| Afrormosia, cristobal, palisander, | | | |
| rosewood, sandalwood | | | |
| | | Dalbergia spp. ^{#15} (except for the species listed in Appendix I) | |
| | Dalbergia nigra | | |
| | | | Dipteryx panamensis (Costa Rica, Nicaragua) |
| | | Guibourtia demeusei #15 | |
| | | Guibourtia pellegriniana #15 | |
| | | Guibourtia tessmannii #15 | |

- ^{#1} All parts and derivatives, except:
 - a) seeds, spores and pollen (including pollinia);

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

- c) cut flowers of artificially propagated plants; and
- d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus Vanilla.
- ^{#4} All parts and derivatives, except:
 - a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants;
 - d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
 - e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
 - f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#12} Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

- ^{#15} All parts and derivatives, except:
 - a) Leaves, flowers, pollen, fruits, and seeds;
 - b) Finished products to a maximum weight of wood of the listed species of up to 10 kg per shipment;
 - c) Finished musical instruments, finished musical instrument parts and finished musical instrument accessories;
 - d) Parts and derivatives of Dalbergia cochinchinensis, which are covered by Annotation # 4; and
 - e) Parts and derivatives of Dalbergia spp. originating and exported from Mexico, which are covered by Annotation # 6.

| | Appendices | | |
|--|--|-----|--|
| I | Ш | III | |
| | Paubrasilia echinata #10 | | |
| | Pericopsis elata ^{#17} | | |
| | Platymiscium parviflorum #4 | | |
| | Pterocarpus erinaceus | | |
| | Pterocarpus santalinus #7 | | |
| | Pterocarpus tinctorius #6 | | |
| | Senna meridionalis | | |
| LILIACEAE Aloes | | | |
| Aloe albida Aloe albiflora Aloe alfredii Aloe bakeri Aloe bellatula Aloe calcairophila Aloe compressa (Includes the vars. paucituberculata, rugosquamosa and schistophila) | <i>Aloe spp.</i> ^{#4} (Except the species included in Appendix I. Also excludes <i>Aloe vera</i> , also referenced as <i>Aloe</i> <i>barbadensis</i> which is not included in the Appendices) | | |

b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#10} Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.

^{#17} Logs, sawn wood, veneer sheets, plywood and transformed wood.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

^{#7} Logs, woodchips, powder and extracts.

^{#6} Logs, sawn wood, veneer sheets and plywood.

| | Appendices | | |
|----------------------------|--|--------------------------------------|---|
| | I | II. | III |
| | Aloe delphinensis | | |
| | Aloe descoingsii | | |
| | Aloe fragilis | | |
| | <i>Aloe haworthioides</i> (Includes the var. <i>aurantiaca</i>) | | |
| | Aloe helenae | | |
| | Aloe laeta (Includes the var. <i>maniaensis</i>) | | |
| | Aloe parallelifolia | | |
| | Aloe parvula | | |
| | Aloe pillansii | | |
| | Aloe polyphylla | | |
| | Aloe rauhii | | |
| | Aloe suzannae | | |
| | Aloe versicolor | | |
| | Aloe vossii | | |
| MAGNOLIACEAE Magnolias | | | |
| | | | Magnolia liliifera var. obovata ^{#1} (Nepal) |
| MALVACEAE Includes baobabs | | | |
| | | Adansonia grandidieri ^{#16} | |

^{#1} All parts and derivatives, except:
a) seeds, spores and pollen (including pollinia);
b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
c) cut flowers of artificially propagated plants; and
d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

^{#16} Seeds, fruits and oils.

| | Appendices | | |
|--|------------|---|--|
| | l I | | Ш |
| MELIACEAE Mahoganies, West Indian cedar | | | |
| | | <i>Cedrela</i> spp. ^{#6} (Populations of the Neotropics) (Entry into effect delayed by 12 months, i.e. until 28 August 2020) | |
| | | | Cedrela fissilis ^{#5} (Plurinational State of Bolivia, Brazil) (To be deleted on 28 August 2020) |
| | | | Cedrela lilloi ^{#5} (Plurinational State of Bolivia, Brazil) (To be deleted on 28 August 2020) |
| | | | Cedrela odorata ^{#5} (Brazil and the Plurinational State of Bolivia. In addition, the following countries have listed their national populations: Colombia, Guatemala and Peru) (To be deleted on 28 August 2020) |
| | | Swietenia humilis #4 | - / |
| | | <i>Swietenia macrophylla</i> ^{#6} (Populations of the Neotropics) | |
| | | Swietenia mahagoni #5 | |

^{#6} Logs, sawn wood, veneer sheets and plywood.

^{#5} Logs, sawn wood and veneer sheets.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix* madagascariensis and *Dypsis decaryi* exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

| | | Appendices | |
|---|---------------------------------------|---|--|
| | I | | Ш |
| NEPENTHACEAE Pitcher-plants (Old World) | | | |
| | Nepenthes khasiana Nepenthes rajah | Nepenthes spp. ^{#4} (Except the species included in Appendix I) | |
| OLEACEAE Ashes, etc. | | | |
| | | | <i>Fraxinus mandshurica</i> ^{#5} (Russian Federation) |
| ORCHIDACEAE Orchids | | | |
| | | ORCHIDACEAE spp. ^{10 #4} (Except the species included in Appendix I) | |

^{#4} All parts and derivatives, except:

- b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
- c) cut flowers of artificially propagated plants;
- d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
- e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
- f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.
- ^{#5} Logs, sawn wood and veneer sheets.

- a) Specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and
- b) i) when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
 - ii) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix* madagascariensis and *Dypsis decaryi* exported from Madagascar;

¹⁰ Artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under a) and b), are met: *Cymbidium, Dendrobium, Phalaenopsis* and *Vanda*:

| | Appendices | | |
|--------------------------|--|---|-------------------------------------|
| | I | | ш |
| | (For all of the following Appendix-I species, seedling or tissue cultures obtained <i>in vitro</i>, in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of 'artificially propagated' agreed by the Conference of the Parties) Aerangis ellisii Cattleya jongheana Cattleya lobata Dendrobium cruentum Mexipedium xerophyticum Paphiopedilum spp. Peristeria elata Phragmipedium spp. | | |
| | Renanthera imschootiana | | <u> </u> |
| OROBANCHACEAE Broomrapes | | | T |
| | | Cistanche deserticola #4 | <u> </u> |
| PALMAE (Arecaceae) Palms | | | |
| | Dypsis decipiens | Beccariophoenix madagascariensis ^{#4} Dypsis decaryi ^{#4} Lemurophoenix halleuxii | |
| | | | Lodoicea maldivica #13 (Seychelles) |

^{#13} The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

| | Appendices | | |
|--------------------------------|-----------------------|------------------------|--|
| | 1 | | III |
| | | Marojejya darianii | |
| | | Ravenea louvelii | |
| | | Ravenea rivularis | |
| | | Satranala decussilvae | |
| | | Voanioala gerardii | |
| PAPAVERACEAE Poppy | | | |
| | | | Meconopsis regia #1 (Nepal) |
| PASSIFLORACEAE Passion-flowers | | | |
| | | Adenia firingalavensis | |
| | | Adenia olaboensis | |
| | | Adenia subsessilifolia | |
| PEDALIACEAE Sesames | | | |
| | | Uncarina grandidieri | |
| | | Uncarina stellulifera | |
| PINACEAE Firs and pines | | | |
| | Abies guatemalensis | | |
| | _ | | <i>Pinus koraiensis</i> ^{#5} (Russian |
| | | | Federation) |
| PODOCARPACEAE Podocarps | | | |
| | | | Podocarpus neriifolius #1 (Nepal) |
| | Podocarpus parlatorei | | |

^{#1} All parts and derivatives, except:a) seeds, spores and pollen (including pollinia);

^{b) seedling or tissue cultures obtained} *in vitro*, in solid or liquid media, transported in sterile containers;
c) cut flowers of artificially propagated plants; and
d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.

 $^{^{\}ensuremath{\#}5}$ Logs, sawn wood and veneer sheets.

| | | Appendices | | |
|-----------------------------|-----------------|---|---|--|
| | I | | ш | |
| PORTULACACEAE Lewisias, | | | | |
| portulacas, purslanes | | | | |
| | | Anacampseros spp. #4 | | |
| | | Avonia spp. #4 | | |
| | | Lewisia serrata ^{#4} | | |
| PRIMULACEAE Cyclamens | | | | |
| | | Cyclamen spp. ^{11 #4} | | |
| RANUNCULACEAE Golden seals, | | | | |
| yellow adonis, yellow root | | | | |
| | | Adonis vernalis #2 | | |
| | | Hydrastis canadensis #8 | | |
| ROSACEAE African cherry, | | | | |
| stinkwood | | | | |
| | | Prunus africana #4 | | |
| RUBIACEAE Ayugue | | | | |
| | Balmea stormiae | | | |
| SANTALACEAE Sandalwoods | | | | |
| | | Osyris lanceolata ^{#2} (Populations of Burundi, Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania) | | |

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

^{#2} All parts and derivatives except:

b) finished products packaged and ready for retail trade.

^{#8} Underground parts (i.e. roots, rhizomes): whole, parts and powdered.

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

¹¹ Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.

a) seeds and pollen; and

| | Appendices | | | |
|---|--|--|---|--|
| | 1 | | ш | |
| SARRACENIACEAE Pitcher-plants (New World) | | | | |
| | Sarracenia oreophila Sarracenia rubra ssp. alabamensis Sarracenia rubra ssp. jonesii | <i>Sarracenia</i> spp. ^{#4} (Except the species included in Appendix I) | | |
| SCROPHULARIACEAE Kutki | | | | |
| | | Picrorhiza kurrooa ^{#2} (Excludes Picrorhiza scrophulariiflora) | | |
| STANGERIACEAE Stangerias | | | | |
| | Stangeria eriopus | <i>Bowenia</i> spp. ^{#4} | | |
| TAXACEAE Himalayan yew | | | | |
| | | <i>Taxus chinensis</i> and infraspecific taxa of this species ^{#2} | | |
| | | <i>Taxus cuspidata</i> and infraspecific taxa of this species ^{12 #2} | | |
| | | <i>Taxus fuana</i> and infraspecific taxa of this species ^{#2} | | |
| | | <i>Taxus sumatrana</i> and infraspecific taxa of this species ^{#2} | | |
| | | Taxus wallichiana ^{#2} | | |

^{#4} All parts and derivatives, except:

b) finished products packaged and ready for retail trade.

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#2} All parts and derivatives except:

a) seeds and pollen; and

¹² Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of the Convention.

| | Appendices | | |
|--------------------------------|------------|---|---------------------------------|
| | I. I. | | III |
| THYMELAEACEAE (Aquilariaceae) | | | |
| Agarwood, ramin | | | |
| | | Aquilaria spp. ^{#14} | |
| | | Gonystylus spp. #4 | |
| | | <i>Gyrinops</i> spp. ^{#14} | |
| TROCHODENDRACEAE | | | |
| (Tetracentraceae) Tetracentron | | | |
| | | | Tetracentron sinense #1 (Nepal) |
| VALERIANACEAE Himalayan | | | |
| spikenard | | | |
| | | Nardostachys grandiflora #2 | |
| VITACEAE Grapes | | | |
| | | Cyphostemma elephantopus | |
| | | | |
| | | Cyphostemma laza Cyphostemma montagnacii | |

^{#14} All parts and derivatives except:

- a) seeds and pollen;
- b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
- c) fruits;
- d) leaves;
- e) exhausted agarwood powder, including compressed powder in all shapes; and
- f) finished products packaged and ready for retail trade, this exemption does not apply to wood chips, beads, prayer beads and carvings.
- ^{#4} All parts and derivatives, except:
 - a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from *Beccariophoenix* madagascariensis and *Dypsis decaryi* exported from Madagascar;
 - b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants;
 - d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;
 - e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and
 - f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.
- ^{#1} All parts and derivatives, except:
 - a) seeds, spores and pollen (including pollinia);
 - b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - c) cut flowers of artificially propagated plants; and
 - d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus Vanilla.
- ^{#2} All parts and derivatives except:
 - a) seeds and pollen; and
 - b) finished products packaged and ready for retail trade.

| | Appendices | | |
|---|--|---|---|
| | I. I. | | ш |
| WELWITSCHIACEAE Welwitschia | | | |
| | | Welwitschia mirabilis #4 | |
| ZAMIACEAE Cycads | | | |
| | Ceratozamia spp. Encephalartos spp. Microcycas calocoma Zomia roctropoi | ZAMIACEAE spp. ^{#4} (Except the species included in Appendix I) | |
| | Zamia restrepoi | | |
| ZINGIBERACEAE Ginger lily, Natal ginger | | | |
| | | Hedychium philippinense ^{#4} Siphonochilus aethiopicus (Populations of Mozambique, South Africa, Eswatini and Zimbabwe) | |
| ZYGOPHYLLACEAE Lignum-vitae | | | |
| | | Bulnesia sarmientoi ^{#11} | |
| | | <i>Guaiacum</i> spp. ^{#2} | |

e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera Opuntia subgenus Opuntia and Selenicereus (Cactaceae); and

^{#4} All parts and derivatives, except:

a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from Mexico, and to seeds from Beccariophoenix madagascariensis and Dypsis decary exported from Madagascar;

b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;

c) cut flowers of artificially propagated plants;

d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus Vanilla (Orchidaceae) and of the family Cactaceae;

f) finished products of Aloe ferox and Euphorbia antisyphilitica packaged and ready for retail trade.

^{#11} Logs, sawn wood, veneer sheets, plywood, powder and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.

^{#2} All parts and derivatives except:

a) seeds and pollen; and

b) finished products packaged and ready for retail trade.